

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	907	(allocat\$3 assign\$3 giv\$3) same address same (locat\$3 or find\$3 or found) same rout\$3 same (port or IO or (input near2 output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:10
S2	4238	((709/226,245) or (711/217,220)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 16:04
S3	24	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:04
S4	8	S3 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:10
S5	310	((allocat\$3 assign\$3 giv\$3) near5 address) same (locat\$3 or find\$3 or found or geograph\$6) same rout\$3 same (port or IO or (input near2 output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:09
S6	165	S5 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:54
S7	163	S6 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:10
S8	2	("6721818").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 17:18

S9	77	(((fibre adj channel) or fc) with ((internet adj protocol) or ip or ethernet or atm or sonet or infiniband or iscsi)) same ((allocat\$3 assign\$3 giv\$3) with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:44
S10	35	S9 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:13
S11	43	(((fibre adj channel) or fc) with ((internet adj protocol) or ip or ethernet or atm or sonet or infiniband or iscsi) with (translat\$4 or convert\$4)) same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:13
S12	11	S11 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:36
S13	10	S12 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:14
S14	31	("5805805" "5894481" "5905873" "5996024" "6000020" "6021454").PN. OR ("6400730").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 10:36
S15	25	S14 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:54
S16	4749	(((fibre adj channel) or fc) with ((internet adj protocol) or ip or ethernet or atm or sonet or infiniband or iscsi))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:10
S17	411	S16 and geograph\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:15

S18	331	S17 and rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:49
S19	280	S18 and address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:49
S20	139	S19 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:50
S21	121	S16 and (geograph\$6 near5 (locat\$3 or find\$3 or found))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:12
S22	49	S21 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:08
S23	177	S16 and (line adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:08
S24	52	S23 and (port near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:08
S25	3	S24 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:12

S26	7022	(allocat\$3 assign\$3 giv\$3) same (port near5 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:11
S27	808	S26 and ((fibre adj channel) or fc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:11
S28	1485	(allocat\$3 assign\$3 giv\$3) same (port near5 address) same rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:11
S29	205	S28 and ((fibre adj channel) or fc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:11
S30	103	S29 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:16
S31	1	S30 and (geograph\$6 near5 (locat\$3 or find\$3 or found))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:31
S32	106	S16 and ((shelf or slot) near5 (locat\$3 or find\$3 or found))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:15
S33	45	S32 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:18

S34	5767021	S23 and (geograph\$6 near5 (locat\$3 or find\$3 or found)) or (locat\$3 or find\$3 or found)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:32
S35	138	S23 and ((geograph\$6 near5 (locat\$3 or find\$3 or found)) or (locat\$3 or find\$3 or found))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:32
S36	61	S35 and (slot or shelf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:32
S37	13	S36 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:44
S38	13	S37 and address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:44
S39	3	(assign\$4 or creat\$4) with (internal adj port adj address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:20
S40	1	S39 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:20
S41	1	unique\$4 with (internal adj port adj address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:20

S42	0	S41 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:21
S43	504	(assign\$4 or creat\$4) with (port adj address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:20
S44	353	S43 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:21
S45	30	S16 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:21
S46	11	S45 and @ad<"20011026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:21